

JOSKIN

www.joskin.com

HIGH-TECH MEADOW AERATORS

|| SCARIFLEX AND EBR4S2 ||

HIGH-TECH AERATOR ACTION

- € 175 to 200 NET/working width metre

Up to € 2,400 NET discount! Offer valid until 31.12.24.
Offer subject to conditions.



**For an ecological maintenance and a
good aeration of your meadows**

JOSKIN



SPECIAL OFFER
- € 200
= up to - € 2,000






SCARIFLEX



PER
NET/m
400 NET!

4 WORKING OPTIONS for Aerating According to Your Farm's Needs





R5S3 (4.8 m - 6 m - 7.2 m - 8.4 m - 9.6 m - 10.8 m)

- + 1 row of scraper blades on springs
- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 1 row of 10 cm spreading paddles on very flexible leaves
- ✓ 3 rows of spring tines





R6S5 (4.8 m - 6 m - 7.2 m - 8.4 m - 9.6 m - 10.8 m)

- + 1 row of scraper blades on springs
- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 5 rows of spring tines



R6S6 (4.8 m - 6 m - 7.2 m - 8.4 m - 9.6 m - 10.8 m - 12 m)

- + 1 row of scraper blades on springs
- ✓ 6 rows of spring tines




R6D2S3 (6 m - 7.2 m)

- + 1 row of scraper blades on springs
- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 2 rows of scarifying shares
- ✓ 3 rows of spring tines



All models, when folded for transport, have a maximum width of 250 cm.







Standardised machines **SATISFYING EVERY NEED AND ADAPTING TO EVERY FARM** for outstanding aeration and overseeding.

SCARIFLEX


SPECIAL OFFER
- € 200 NET
 = up to - € 2,400 NET

- ✓ **Modular machine with unrivalled efficiency.**
- ✓ **High-quality galvanising for a durable aerator.**
- ✓ **Scraper blades adaptable to all Scariflex models, even older ones!**
- ✓ **After-sales service: 3-year warranty and individualised parts book.**







...t/m
...TET!





LED lighting with striped boards
(red and white).





Step for a safe access
to the air seeder.




Air seeder (120 or 300 l) with
electric or hydraulic drive with DPA
(proportional flow).
Mounted close to the tractor for a
good load distribution.
Pre-equipment possible on models
480, 600, 720 and 960.
(A) Seed distributors (8 or 12
depending on model).




Variflex: continuous modulation of the tine pressure by hydraulic adjustment using multiple compensation cylinders and one or two central cylinders with graduated mark.




Double hydraulic folding system with
adjustable stop and anti-noise Ertalon
for models from 8.4 m working width.



Single hydraulic folding system
with anti-noise silent-block for
models up to 7.2 m working width.



Independent scraper blades of
variable width (90 to 130 cm)
depending on model, positioned in
front of the wheels to level the ground.




**Height adjustment of the scraper
blades by crank handle** with
graduation and marking arrow.


EBR4S2

SPECIAL OFFER
- € 175
 = up to - € 1,17

- ✓ Traditional quality machine with over 30 years of experience!
- ✓ High-quality galvanising for a durable aerator.
- ✓ High comfort of use, comprehensive equipment and possibility of adjusting the work intensity of the working tools.
- ✓ After-sales service: 3-year warranty and individualised parts book.



Rubber wheels




Rubber wheels filled with foam to make them puncture-proof and give the machine greater flexibility.




Steel wheels




LED lighting with striped boards (red and white).




Air seeder with electric drive (120 l). Mounted close to the tractor for a good load distribution. Pre-equipment possible on models 480 and 600.



Round bar for semi-automatic hitching



Additional spring-loaded 3rd point for greater flexibility and better follow-up of the ground.




Ø 7 mm scarifying tines: ideal for a good scarification of meadows.

Manual adjustment of the 2 rear scarifying rows by means of a crank handle with graduation




FER
NET/m
55 NET!

3 TOOLS ON 1 SINGLE MACHINE for Maximum Versatility





EBR4S2 (2.4 m - 3 m - 3.6 m - 4.2 m - 4.8 m - 5.4 m - 6 m - 6.6 m)

- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 1 row of 10 cm spreading paddles on very flexible leaves
- ✓ 2 rows of spring tines



All models, when folded for transport, have a maximum width of 240 cm or 300 cm.



Height adjustment of the wheels by crank handle with graduation.



JOSKIN EB Aerator, First Model in the **PROFESSIONAL RANGE** of Meadow Aerators



SPECIAL OFFER

- € 175 NET/m

= up to - € 1,155 NET!

